

Bethesda Water Supply Corporation PO Box 130 509 S Burleson Blvd Burleson, TX 76097-0130



Contact Information

509 S. Burleson Blvd. Burleson, Texas 76028 Business Hours: 8:00 a.m.—5:00 p.m. Mon-Fri

Office Phone (817)295-2131 Fax (817)447-9370

24 hour Bill Pay by Phone (877)435-5641

Meter Readings by email meterreadings@flash.net
Website: www.bethesdawatersupply.com

EPA Drinking Water Hotline: (800)426-4791 After hours emergencies: (817)295-2131

****Warning****

A dual check/backflow assembly valve may have been installed at the meter in the service line serving your residence. This installation creates a closed system. It is necessary that all water heaters have a working pressure relief valve (pop-off valve) to guard against damage from high pressure created by thermal expansion.

En Espanola

Este informe contiene información muy importante sobre el agua que usted bebe. Tradúzcalo ó hable con alguien que lo entienda bien.

Board of Directors

Melvin Ables President
Harold Moore Vice President
Charles Clark Secretary/Treasurer

Grady Lewis Director
Gary L. Wilson Director
Marianna Wilson Director
Bob Wolfe Director

Management Staff

Steve Sievers General Manager

Dana Wells Office Administrator

Carl Nowak Operations Superintendent

SPECIAL NOTICE FOR THE ELDERLY, INFANTS, CANCER PATIENTS, PEOPLE WITH HIV/AIDS, OR OTHER IMMUNE PROBLEMS

You may be more vulnerable than the general population to certain microbial contaminants, such as Cryptosporidium, in drinking water. Infants, some elderly or immune-compromised persons such as those undergoing chemotherapy for cancer; those who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders can be particularly at risk from infections. You should seek advice about drinking water from your physician or health care provider. Additional guidelines on appropriate means to lessen the risk of infection by Cryptosporidium contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

ABOUT BETHESDA WATER SUPPLY CORPORATION

Bethesda Water Supply Corp. (BWSC) is a non-profit organization governed by a Board of Directors elected by the Membership. Monthly Board meetings are held at the Corporation's office on the third Tuesday of each month at 1:00 pm. Agenda topics are posted at the Johnson County and Tarrant County Courthouses, as well as the Bethesda WSC office. Membership meetings are held annually in March.

WHERE DO WE GET OUR DRINKING WATER?

Our drinking water is obtained from groundwater formations of the Paluxy and Trinity aquifers, and blended with treated surface water purchased from the City of Fort Worth Water Department. Fort Worth uses water from Lake Bridgeport, Eagle Mountain Lake, Lake Worth, Lake Benbrook, Cedar Creek Reservoir and Richland Chambers Reservoir. Texas Commission on Environmental Quality is updating a Source Water Susceptibility Assessment for your drinking water sources. This information describes the susceptibility and types of constituents that may come into contact with your drinking water source based on human activities and natural conditions. The information contained in the assessment allows us to focus source water protection strategies. Some of this source water assessment information is available on Texas Drinking Water Watch at http://dww2.tceq.state.tx.us/DWW/. More information on source water assessments is available at http://www.tceq.texas.gov/gis/swaview.

Our Drinking Water Meets or Exceeds all Federal (EPA) Drinking Water Requirements

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pickup substances resulting from the presence of animals or from human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPAs Safe Drinking Water Hotline at (800)426-4791.

Contaminants that may be present in source water include: A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife. B) Inorganic contaminants such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming. C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses. D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum and can also come from gas stations, urban storm water runoff and septic systems. E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection of public health.

Contaminants may be found in drinking water that may cause taste, color or odor problems. These types of problems are not necessarily causes for health concerns. For more information on taste, odor or color of drinking water, please contact the system's business office.

Water Restrictions

Bethesda Water Supply Corporation's primary water supply is treated surface water purchased from the City of Fort Worth that is supplemented with well water. The primary way to stretch our supplies and save water will be to limit outdoor watering to no more than twice per week.

For the purpose of simplicity, Bethesda will mirror Fort Worth's watering plan. Landscape watering is limited as scheduled below:

Watering lawns with irrigation systems or sprinklers is prohibited between the hours of 10:00 a.m. - 6:00 p.m. year round.

Watering Schedule

Landscape watering is limited to the following twice per week schedule. Watering with a soaker hose, drip irrigation or by hand is allowed at any time.

Exceptions:

- ◆ Foundations may be watered up to two hours on any day using a handheld hose, soaker hose or drip irrigation system placed within 24 inches of the foundation.
- ◆ Establishing new turf is discouraged. If hydromulch, grass sod, or grass seed has been installed, watering is allowed for the first 30 days to establish roots. After that, the above schedule applies. This does not include overseeding.
- ◆ All users are encouraged to reduce the frequency of draining and refilling swimming pools.
- ◆ Washing of any motorized vehicle is limited to a hand-held bucket or a hand-held hose equipped with a positive-pressure shutoff nozzle for quick rinses. Vehicle washing may be done at any time on the premises of a commercial car wash or commercial service station.

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
No	Non-	Residential	Residential	Non-	Residential	Residential
Outdoor	Residential	Address Ending in	Address Ending in	Residential	Address Ending in	Address Ending in
Watering		(0, 2, 4, 6, 8)	(1, 3, 5, 7, 9)		(0, 2, 4, 6, 8)	(1, 3, 5, 7, 9)

How to Calculate Your Water Bill

Rate Schedule

Minimum 18.50

1-10,000 Gallons 4.00 per thousand 10,001-40,000 Gallons 4.50 per thousand 40,001 Gallons and over 5.00 per thousand

F.Y.I.

Watering 1/2 acre with 1 inch of water 4 times per month consumes approximately 54,305 gallons.

Present reading Previous reading Gallons used

1	0	4	6	5	4	0
0	9	8	7	2	1	0
0	0	5	9	3	3	0

Subtract previous reading from present reading.

Gallons billed in 100 gallon increments: example, usage represents 59,300 for bill purpose.

59,300 Gallons calculated:
Minimum = 18.50 First 10,000/1,000 X 4.00 = Second 30,000/1,000 X 4.50 = 40.00 135.00 Remaining 19,300/1,000 X 5.00 = Total water charge

TCEQ Assessment Charge .005 of 290.00 = 1.45 Groundwater Conservation District Charge 59,300 gallons/1,000 X .0675 = 4.00

Total Water Bill: 295.45

This report is intended to provide you with important information about your drinking water and the efforts made by the water system to provide safe drinking water.

<u>Definitions:</u> The following tables contain scientific terms and measures, some of which may require explanation.

<u>Maximum Contaminant Level Goal (MCLG)</u> The level of a contaminant in drinking water below which there is no known or expected health risk. MCLGs allow for a margin of safety.

<u>Maximum Contaminant Level (MCL)</u> The highest permissible level of a contaminant in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

<u>Maximum Residual Disinfectant Level (MRDL)</u> The highest level of disinfectant allowed in drinking water. There is convincing evidence that the addition of a disinfectant is necessary for control of microbial contaminants.

<u>Maximum Residual Disinfectant Level Goal (MRDLG)</u>
The level of a drinking water disinfectant below which there is no known or expected risk to health.

MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

Maximum Fibers Per Liter (MFL) A measure of asbestos.

Nephelometric turbidity units. A measure of turbidity.

pCi/L Picocuries per liter. A measure of radioactivity.

Avg Regulatory compliance with some MCLs are based on running annual average of monthly samples.

ppm Parts per million, or milligrams per liter (mg/l). Example: a single penny in \$10,000, (\$01/\$10,000.00)

ppb Parts per billion, or micrograms per liter (ug/l). Example: a single penny in \$10,000,000. (\$01/\$10,000,000.00)

ppt Parts per trillion per liter.

ppq_Parts per quadrillion per liter.

na not applicable

Lead and Copper	Date Sampled	MCLG	Action Level (AL)		#Sites Over AL	Unit s	Violation	Likely Source of Contaminant
Copper	2016	1.3	1.3	0.1702	0	ppm	N	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing. systems.
Lead	2016	0	15	3.1	0	ppb	N	Corrosion of household plumbing systems; Erosion of natural deposits.

Radioactive Contaminants	Collection Date	Highest Level De- tected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Combined Radium	10/25/2011	1	1-1	0	5	pCi/L	N	Erosion of natural deposits
226/228								

Synthetic organic contaminants including pesticides and herbicides		•	Ranges of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Atrazine	2016	0	0-0	3	3	ppb	N	Runoff from herbicide used on row crops.
Di (2-ethylhexyl) phthalate	2016	0	0-0	0	6	ppb	N	Discharge from rubber and chemical
								factories.

Year	Disinfection	Average Level	Minimum Level	Maximum Level	MRDL	MRDLG	Unit of Measure	Source of Disinfection
2016	Chloramines	2.63	.5	5			ppm	Water additive used to control microbes.

Not all sample results may have been used for calculating the Highest Level Detected because some results may be part of an evaluation to determine where compli-

<u>In the water loss audit</u> submitted to the Texas Water Development Board for the time period of Jan-Dec 2016, our system lost an estimated 127,967,900 gallons of water (9.005% of total production). If you have any questions about the water loss audit please call **817-295-2131**

Inorganic Contaminant	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Unit	Violation	Likely Source of Contaminant
Asbestos	08/20/2012	0.7512	0.75120.7512	7	7	MFL	N	Decay of asbestos cement water mains. Erosion of natural deposits.
Barium	2016	.058	0.0020-0.058	2	2	ppm	N	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
Chromium	2016	.0034	00034	100	100	ppb	N	Discharge from steel and pulp mills; Erosion of natural deposits.
Arsenic	2016	2.1	0-2.1	0	10	ppb	N	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes.
Fluoride	2016	1.42	0.85-1.42	4	4.0	ppm	N	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Selenium	2016	2.3	0-2.3	50	50	Ppb	N	Discharge from petroleum and meter refineries; Erosion of natural deposits; Discharge from mines.
Nitrate (measured as Nitrogen)	2016	.925	.0605925	10	10	ppm	N	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.

Nitrate Advisory - Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant you should ask advice from your health care provider.

*EPA considers 50 pCi/L to be the level pf concern for beta particles.

Analyte	Method ID	Value/Range	Unit	Status	Sample Date
Chromium-6	EPA 218.7	.0362111	ug/L	Statehold	2013
Molybdenum	EPA 200.8	1.28-2.18	ug/L	Statehold	2013
Strontium	EPA 200.8	75-1380	ug/L	Statehold	2013
Vanadium	EPA 200.8	.2-1.14	ug/L	Statehold	2013

The TCEQ completed an assessment of your source water and results indicate that our sources have a low susceptibility to contaminants. The sampling requirements for your water system are based on this susceptibility and previous sample data. Any detections of these contaminants may be found in this Consumer Confidence Report. For more information on source water assessments and protection efforts at our system, contact Dana Wells at our office.

Unregulated Contaminants Unregulated contaminants are those for which EPA has not established drinking water standards. The purpose of unregulated contaminant monitoring is to assist EPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted.

Contaminant	Measure	Range of Detects	2015 Level	MCL	MCLG	Common Source of Substance
Bromoform	ppb	0-1.48	.34	Not regulated	None	By-product of drinking water disinfection
Bromodichloro- methane	ppb	1.24-5.18	3.79	Not regulated	None	By-product of drinking water disinfection; not regulated individually; included in Total Trihalomethanes
Chloroform	ppb	0-10.4	4.76	Not regulated	70	By-product of drinking water disinfection; not regulated individually; included in Total Trihalomethanes
Dibromochloro- methane	ppb	1.27-4.10	2.75	Not regulated	60	By-product of drinking water disinfection; not regulated individually; included in Total Trihalomethanes
Monochloroacetic Acit	ppb	0-3.60	.33	Not regulated	70	By-product of drinking water disinfection; not regulated individually; included in Total Trihalomethanes
Dichloroacetic Acid	ppb	2-10.6	6.46	Not regulated	None	By-product of drinking water disinfection; not regulated individually; included in Total Trihalomethanes
Trichloroacetic Acid	ppb	0-1.50	.49	Not regulated	20	By-products of drinking water disinfection; not regulated individually; included in Haloacetic Acids
Monobromoacetic Acid	ppb	0-0	0	Not regulated	None	By-products of drinking water disinfection; not regulated individually; included in Haloacetic Acids
Dibromoacetic Acid	ppb	0-2.90	.95	Not regulated	None	By-products of drinking water disinfection; not regulated individually;

Sources Of Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPAs Safe Drinking Water Hotline at (800) 426-4791.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For more information on taste, odor, or color of drinking water, please contact the system's business office.

Volatile Organic Contaminants	Collection Date	Highest Level De- tected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Ethylbenzene	2015	2.13	0-2.13	700	700	ppb	N	Discharge from petroleum refineries.
Xylenes	2015	0.0265	0-0.0265	10	10	Ppm	N	Discharge from petroleum factories; Discharge from chemical factories.

Secondary Constituents This chart lists other items for which the water is tested. These items do not relate to public health but rather to the aesthetic effects. These items are often important to industrial users.

ltem	Measure	2014 Range			
Bicarbonate	mg/l	81.8-404			
Calcium	mg/l	3.45-54.4			
Chloride	mg/l	16.9-53.9			
Conductivity	μmhoc/cm	320-1130			
Magnesium	mg/l	.859-4.33			
Sodium	mg/l	15.5-288			
Sulfate	mg/l	22.2-158			
Total Alkalinity as CaCo₃	mg/l	81.8-437			
Total Dissolved Solids	mg/l	184-684			
Total Hardness as CaCo ₃	mg/l	2.82-3.98			

Regulated Contaminants

Collec- tion Date	Disinfectants nad Disinfection By-Products	Range of Levels Detected	Highest Level Detected	MCLG	MCL	Unit	Violation	Likely Source of Contaminant
2016	Haloacetic Acids(HAA5)*	2-13.2	13.2	No goal for the total	60	ppb	N	Byproduct of drinking water chlorination.
2016	Total Trihalomethanes(TThm)*	2.51-17.6	17.6	No goal for the total	80	ppb	N	Byproduct of drinking water chlorination.